ELSEVIER

Neuroscience Letters 266 (1999) 223–226

Neuroscience Letters

Author Index to Volume 266

Abbott, L.C., see Rhyu, I.J., 49
Altura, B.M., see Li, W., 205
Altura, B.T., see Li, W., 205
Amin, H., see Tsukamoto, Y., 53
Ando, T., see Sato, K.Z., 17
Andrews, K., Baranowski, A., Kinnman, E., Sensory threshold changes without initial pain or alterations in cutaneous blood flow, in the area of secondary hyperalgesia caused by topical application of capsaicin in humans, 45
Arabia, A., see Bagetta, G., 153
Asai, T., see Kataoka, K., 220
Aubert, E., see Harmony, T., 25
Aubry, J.-M., Pozzoli, G., Vale, W.W., Chronic treatment with the antidepressant amitriptyline decreases CRF-R1 receptor mRNA levels in the rat amygdala, 197

Bachmann, C., see Braissant, O., 89
Bagetta, G., Rodinò, P., Arabia, A., Massoud, R., Paoletti, A.M., Nisticò, R., Passantino, L., Preziosi, P., Systemic administration of cocaine, given alone or in combination with sensory stimuli, differentially affects L-arginine-nitric oxide metabolism in discrete regions of the brain of rat, 153
Baranowski, A., see Andrews, K., 45
Bayer, T.A., Jäkälä, P., Hartmann, T., Havas, L., McLean, C., Culvenor, J.G., Li, Q.-X., Masters, C.L., Falkai, P., Beyreuther, K., α-Synuclein accumulates in Lewy bodies in Parkinson's disease and dementia with Lewy bodies but not in Alzheimer's disease β-amyloid plaque cores, 213
Benedetto, A., see Cappello, P., 37
Beyreuther, K., see Bayer, T.A., 213
Bon, M.A.M., Jansen Steur, E.N.H., de Vos, R.A.I., Vermes, I., Neurogenetic correlates of Parkinson's disease: apolipoprotein-E and cytochrome P450 2D6 genetic polymorphism, 149
Bornstein, J.C., see Johnson, P.J., 169
Bosch, J., see Harmony, T., 25
Bourre, J.M., see Carrié, I., 69
Braissant, O., Honegger, P., Loup, M., Iwase, K., Takiguchi, M., Bachmann, C., Hyperammonemia: regulation of argininosuccinate synthetase and argininosuccinate lyase genes in aggregating cell cultures of fetal rat brain, 89
Britton, D.R., Mikusa, J., Lee, C.-H., Jarvis, M.F., Williams, M., Kowaluk, E.A., Site and event specific increase of striatal adenosine release by adenosine kinase inhibition in rats, 93
Bulmer, D.C.E., see Hoskin, K.L., 173
Burch, J.B., Reif, J.S., Yost, M.G., Geomagnetic disturbances are associated with reduced nocturnal excretion of a melatonin metabolite in humans, 209

Canu, M.-H., see Langlet, C., 145
Cappello, P., Tarozzo, G., Benedetto, A., Fasolo, A., Proliferation and apoptosis in the mouse vomeronasal organ during ontogeny, 37
Carmeliet, P., see Kataoka, K., 220
Carrié, I., Clément, M., De Javel, D., Francès, H., Bourre, J.M., Learning deficits in first generation OF1 mice deficient in (n-3) polyunsaturated fatty acids do not result from visual alteration, 69
Cheng, F.-C., see Kuo, J.-S., 137
Clément, M., see Carrié, I., 69
Collen, D., see Kataoka, K., 220
Correa, D., see Diaz-Ruiz, A., 61
Couraud, J.-Y., see Haberberger, R., 177
Crawford, F., Freeman, M., Town, T., Fallin, D., Gold, M., Duara, R., Mullan, M., No genetic association between polymorphisms in the Tau gene and Alzheimer's disease in clinic or population based samples, 193
Culvenor, J.G., see Bayer, T.A., 213

Davies, J.A., Shakesby, A., Blockade of GABA uptake potentiates GABA-induced depolarizations in adult mouse cortical slices, 201
Daws, L.C., Gerhardt, G.A., Frazer, A., 5-HT_{1B} antagonists modulate clearance of extracellular serotonin in rat hippocampus, 165
de Bilbao, F., Guarin, E., Nef, P., Dubois-Dauphin, M., The mouse *cpp32* mRNA transcript is early up-regulated in axotomized motoneurons following facial nerve transection, 65
De Javel, D., see Carrié, I., 69
de Vos, R.A.I., see Bon, M.A.M., 149
Delorenzi, A., Maldonado, H., Memory enhancement by the angiotensinergic system in the crab *Chasmagnathus* is mediated by endogenous angiotensin II, 1
Diaz-Ruiz, A., Rios, C., Duarte, I., Correa, D., Guizar-Sahagun, G., Grijalva, I., Ibarra, A., Cyclosporin-A inhibits lipid peroxidation after spinal cord injury in rats, 61
Ding, Y.-Q., Zheng, H.-X., Wang, D.-S., Xu, J.-Q., Gong, L.-W., Lü, Y., Qin, B.-Z., Shi, J., Li, H.-L., Li, J.-S., Shigemoto, R., Kaneko, T., Mizuno, N., The distribution of substance P receptor (NK1)-like immunoreactive neurons in the newborn and adult human spinal cord, 133
Duara, R., see Crawford, F., 193
Duarte, I., see Diaz-Ruiz, A., 61
Dubois-Dauphin, M., see de Bilbao, F., 65

Endo, F., see Saito, T., 13

Falempin, M., see Langlet, C., 145
Falkai, P., see Bayer, T.A., 213
Fallin, D., see Crawford, F., 193
Fasolo, A., see Cappello, P., 37
Fedele, E., see Varnier, G., 81
Fernández, T., see Harmony, T., 25
Fernández-Bouzas, A., see Harmony, T., 25

PII: S0304-3940(99)00350-X

Fink, J.G., see Stadelmann, A.M., 97
Folbergrová, J., He, Q.P., Li, P.-A., Smith, M.-L., Siesjö, B.K., The effect of α-phenyl-*N*-tert-butyl nitrone on bioenergetic state in substantia nigra following flurothyl-induced status epilepticus in rats, 121
Francès, H., see Carrié, I., 69
Frazer, A., see Daws, L.C., 165
Freeman, M., see Crawford, F., 193
Fu, Y., Matta, S.G., McIntosh, J.M., Sharp, B.M., Inhibition of nicotine-induced hippocampal norepinephrine release in rats by alpha-conotoxins MII and AuIB microinjected into the locus coeruleus, 113
Fuchs, E., see Reuss, S., 29
Fujii, T., see Sato, K.Z., 17
Fukunaga, T., see Yamanaka, K., 101
Furuya, K., see Nakai, S., 185

Galán, L., see Harmony, T., 25
Galli, C., see Strenge, H., 57
Gerber, W.-D., see Strenge, H., 57
Gerhardt, G.A., see Daws, L.C., 165
Gil-Loyzaga, P., see Vicente-Torres, M.A., 217
Goadsby, P.J., see Hoskin, K.L., 173
Gold, M., see Crawford, F., 193
Gong, L.-W., see Ding, Y.-Q., 133
Grijalva, I., see Diaz-Ruiz, A., 61
Guarin, E., see de Bilbao, F., 65
Guizar-Sahagun, G., see Diaz-Ruiz, A., 61

Haberberger, R., Henrich, M., Couraud, J.-Y., Kummer, W., Muscarinic M2-receptors in rat thoracic dorsal root ganglia, 177
Harmony, T., Fernández, T., Silva, J., Bosch, J., Valdés, P., Fernández-Bouzas, A., Galán, L., Aubert, E., Rodríguez, D., Do specific EEG frequencies indicate different processes during mental calculation? 25
Harrison, P.S., Henderson, Z., Quantitative evidence for increase in galanin-immunoreactive terminals in the hippocampal formation following entorhinal cortex lesions in the adult rat, 41
Hartmann, T., see Bayer, T.A., 213
Hata, A., see Saito, T., 13
Havas, L., see Bayer, T.A., 213
Hayashi, Y., see Monji, A., 85
He, Q.P., see Folbergrová, J., 121
Henderson, Z., see Harrison, P.S., 41
Henrich, M., see Haberberger, R., 177
Hermes, B., see Reuss, S., 29
Hiemke, C., see Reuss, S., 29
Hilaire, G., see Ptak, K., 189
Hoffmeister, J., see Strenge, H., 57
Honegger, P., see Braissant, O., 89
Hoskin, K.L., Bulmer, D.C.E., Goadsby, P.J., Fos expression in the trigeminocervical complex of the cat after stimulation of the superior sagittal sinus is reduced by L-NAME, 173
Hosokawa, T., see Saito, T., 13

Ibarra, A., see Diaz-Ruiz, A., 61
Imaki, J., see Minami, S., 73
Inoue, M., see Ueda, H., 105
Isobe, I., Michikawa, M., Yanagisawa, K., Enhancement of MTT, a tetrazolium salt, exocytosis by amyloid β-protein and chloroquine in cultured rat astrocytes, 129
Iwase, K., see Braissant, O., 89

Jäkälä, P., see Bayer, T.A., 213
Jäncke, L., Mirzazade, S., Joni Shah, N., Attention modulates activity in the primary and the secondary auditory cortex: a functional magnetic resonance imaging study in human subjects, 125
Jansen Steur, E.N.H., see Bon, M.A.M., 149
Jarvis, M.F., see Britton, D.R., 93
Johnson, P.J., Shum, O.R., Thornton, P.D.J., Bornstein, J.C., Evidence that inhibitory motor neurons of the guinea-pig small intestine exhibit fast excitatory synaptic potentials mediated via P_{2X} receptors, 169
Joni Shah, N., see Jäncke, L., 125

Kaname, H., see Monji, A., 85
Kaneko, T., see Ding, Y.-Q., 133
Kataoka, K., Asai, T., Taneda, M., Ueshima, S., Matsuo, O., Kuroda, R., Carmeliet, P., Collen, D., Nigral degeneration following striato-pallidal lesion in tissue type plasminogen activator deficient mice, 220
Kavounoudias, A., Roll, R., Roll, J.-P., Specific whole-body shifts induced by frequency-modulated vibrations of human plantar soles, 181
Kawashima, K., see Sato, K.Z., 17
Kazuko, F., see Sato, K.Z., 17
Kim, H., see Rhyu, I.J., 49
Kinnman, E., see Andrews, K., 45
Kiyohara, T., see Nakai, S., 185
Kobayashi, T., see Sato, J., 21
Koch, T.R., see Stadelmann, A.M., 97
Koda, H., see Mizumura, K., 9
Kohama, K., see Tsukamoto, Y., 53
Kowaluk, E.A., see Britton, D.R., 93
Kropp, P., see Strenge, H., 57
Kummer, W., see Haberberger, R., 177
Kuo, J.-S., Li, H.-T., Lin, N.-N., Yang, C.-S., Cheng, F.-C., Dorsal facial area of cat medulla; 5-HT_2 action on glutamate release in regulating common carotid blood flow, 137
Kurasaki, M., see Saito, T., 13
Kuroda, R., see Kataoka, K., 220

Langlet, C., Canu, M.-H., Falempin, M., Short-term reorganization of the rat somatosensory cortex following hypodynamia-hypokinesia, 145
Lee, C.-H., see Britton, D.R., 93
Li, H.-L., see Ding, Y.-Q., 133
Li, H.-T., see Kuo, J.-S., 137
Li, J.-S., see Ding, Y.-Q., 133
Li, P.-A., see Folbergrová, J., 121
Li, Q.-X., see Bayer, T.A., 213
Li, W., Zheng, T., Wang, J., Altura, B.T., Altura, B.M., Pyrrolidine dithiocarbamate prevents ethanol-induced elevation of $[Ca^{2+}]_i$ in cultured canine cerebral vascular smooth muscle cells, 205
Lin, N.-N., see Kuo, J.-S., 137
Loup, M., see Braissant, O., 89
Lü, Y., see Ding, Y.-Q., 133

Maldonado, H., see Delorenzi, A., 1
Marchi, M., see Varnier, G., 81
Massoud, R., see Bagetta, G., 153
Masters, C.L., see Bayer, T.A., 213
Matsuda, I., see Saito, T., 13
Matsuda, K., see Monji, A., 85
Matsuo, O., see Kataoka, K., 220
Matta, S.G., see Fu, Y., 113
McIntosh, J.M., see Fu, Y., 113
McLean, C., see Bayer, T.A., 213

Michikawa, M., see Isobe, I., 129
Miki, N., see Tsukamoto, Y., 53
Mikusa, J., see Britton, D.R., 93
Minami, S., Nakata, T., Tokita, R., Onodera, H., Imaki, J., Cellular localization of prolactin-releasing peptide messenger RNA in the rat brain, 73
Mirzazade, S., see Jäncke, L., 125
Miyata, S., see Nakai, S., 185
Mizumura, K., Koda, H., Potentiation and suppression of the histamine response by raising and lowering the temperature in canine visceral polymodal receptors in vitro, 9
Mizumura, K., see Sato, J., 21
Mizuno, N., see Ding, Y.-Q., 133
Monji, A., Tashiro, K.-i., Yoshida, I., Kaname, H., Hayashi, Y., Matsuda, K., Tashiro, N., Laminin inhibits both Aβ40 and Aβ42 fibril formation but does not affect Aβ40 or Aβ42-induced cytotoxicity in PC12 cells, 85
Morimae, H., see Sato, J., 21
Moscarello, M.A., see Pritzker, L.B., 161
Mullan, M., see Crawford, F., 193

Näätänen, R., see Takegata, R., 109
Nagano, K., see Saito, T., 13
Nakai, S., Furuya, K., Miyata, S., Kiyohara, T., Intracellular Ca^{2+} responses to nucleotides, peptides, amines, amino acids and prostaglandins in cultured pituicytes from adult rat neurohypophysis, 185
Nakane, Y., see Tsukamoto, Y., 53
Nakata, T., see Minami, S., 73
Nakazawa, K., see Yamanaka, K., 101
Nef, P., see de Bilbao, F., 65
Nguyen, T.A., see Pritzker, L.B., 161
Nisticò, R., see Bagetta, G., 153
Nitsos, I., Walker, D.W., Characterization of pontine neurons which respond to hypoxia in fetal sheep, 33

Oda, S.-i., see Rhyu, I.J., 49
Okabe, M., see Saito, T., 13
Onodera, H., see Minami, S., 73

Paavilainen, P., see Takegata, R., 109
Paoletti, A.M., see Bagetta, G., 153
Passantino, L., see Bagetta, G., 153
Postuma, R.B., Sáez-Valero, J., Small, D.H., Inhibition of neurite outgrowth from chick sympathetic neurons by cholinesterase inhibitors is not mediated by binding to cholinesterases, 77
Pozzoli, G., see Aubry, J.-M., 197
Preziosi, P., see Bagetta, G., 153
Pritzker, L.B., Nguyen, T.A., Moscarello, M.A., The developmental expression and activity of peptidylarginine deiminase in the mouse, 161
Ptak, K., Hilaire, G., Central respiratory effects of substance P in neonatal mice: an in vitro study, 189

Qin, B.-Z., see Ding, Y.-Q., 133

Raiteri, M., see Varnier, G., 81
Redecker, P., Immunoreactivity for multiple GABA transporters (GAT-1, GAT-2, GAT-3) in the gerbil pineal gland, 117
Reif, J.S., see Burch, J.B., 209
Reuss, S., Hermes, B., Fuchs, E., Hiemke, C., Day- and night-time contents of monoamines and their metabolites in the medial preoptic area of the rat hypothalamus, 29
Rhyu, I.J., Oda, S.-i., Uhm, C.-S., Kim, H., Suh, Y.-S., Abbott, L.C., Morphologic investigation of *rolling* mouse Nagoya (tg^{rol}/tg^{rol}) cerebellar Purkinje cells: an ataxic mutant, revisited, 49
Rios, C., see Diaz-Ruiz, A., 61
Rodinò, P., see Bagetta, G., 153
Rodríguez, D., see Harmony, T., 25
Roll, J.-P., see Kavounoudias, A., 181
Roll, R., see Kavounoudias, A., 181
Rougier, P., Influence of visual feedback on successive control mechanisms in upright quiet stance in humans assessed by fractional Brownian motion modelling, 157

Sáez-Valero, J., see Postuma, R.B., 77
Saito, K., see Saito, T., 13
Saito, T., Okabe, M., Hosokawa, T., Kurasaki, M., Hata, A., Endo, F., Nagano, K., Matsuda, I., Urakami, K.-i., Saito, K., Immunohistochemical determination of the Wilson Copper-transporting P-type ATPase in the brain tissues of the rat, 13
Sasaki, F., see Tsukamoto, Y., 53
Sato, J., Morimae, H., Seino, Y., Kobayashi, T., Suzuki, N., Mizumura, K., Lowering barometric pressure aggravates mechanical allodynia and hyperalgesia in a rat model of neuropathic pain, 21
Sato, K.Z., Fujii, T., Watanabe, Y., Yamada, S., Ando, T., Kazuko, F., Kawashima, K., Diversity of mRNA expression for muscarinic acetylcholine receptor subtypes and neuronal nicotinic acetylcholine receptor subunits in human mononuclear leukocytes and leukemic cell lines, 17
Seino, Y., see Sato, J., 21
Shakesby, A., see Davies, J.A., 201
Sharp, B.M., see Fu, Y., 113
Shi, J., see Ding, Y.-Q., 133
Shigemoto, R., see Ding, Y.-Q., 133
Shum, O.R., see Johnson, P.J., 169
Siesjö, B.K., see Folbergrová, J., 121
Silva, J., see Harmony, T., 25
Small, D.H., see Postuma, R.B., 77
Smith, M.-L., see Folbergrová, J., 121
Stadelmann, A.M., Fink, J.G., Telford, G.L., Walgenbach-Telford, S., Koch, T.R., Nitric oxide synthase is increased following small intestinal transplantation in the rat, 97
Strenge, H., Kropp, P., Hoffmeister, J., Verri, A., Galli, C., Gerber, W.-D., Contingent negative variation indicates phasic arousal for externally cued unilateral eye blink in human subjects, 57
Suh, Y.-S., see Rhyu, I.J., 49
Suzuki, N., see Sato, J., 21
Suzuki, Y., see Yamanaka, K., 101

Taira, E., see Tsukamoto, Y., 53
Takegata, R., Paavilainen, P., Näätänen, R., Winkler, I., Independent processing of changes in auditory single features and feature conjunctions in humans as indexed by the mismatch negativity, 109
Takiguchi, M., see Braissant, O., 89
Taneda, M., see Kataoka, K., 220
Tarozzo, G., see Cappello, P., 37
Tashiro, K.-i., see Monji, A., 85
Tashiro, N., see Monji, A., 85
Telford, G.L., see Stadelmann, A.M., 97
Thomsen, C., Pentylenetetrazol-induced seizures increase [^{3}H]L-2-amino-4-phosphonobutyrate binding in discrete regions of the rat brain, 5
Thornton, P.D.J., see Johnson, P.J., 169
Tokita, R., see Minami, S., 73
Tomberg, C., Cognitive N140 electrogenesis and concomitant 40 Hz

synchronization in mid-dorsolateral prefrontal cortex (area 46) identified in non-averaged human brain potentials, 141
Town, T., see Crawford, F., 193
Tsudzuki, M., see Tsukamoto, Y., 53
Tsukamoto, Y., Taira, E., Nakane, Y., Tsudzuki, M., Kohama, K., Amin, H., Miki, N., Sasaki, F., Expression of gicerin, a cell adhesion molecule, in the abnormal retina in silver plumage color mutation of Japanese quail (*Coturnix japonica*), 53

Ueda, H., Inoue, M., Peripheral morphine analgesia resistant to tolerance in chronic morphine-treated mice, 105
Ueshima, S., see Kataoka, K., 220
Uhm, C.-S., see Rhyu, I.J., 49
Urakami, K.-i., see Saito, T., 13

Valdés, P., see Harmony, T., 25
Vale, W.W., see Aubry, J.-M., 197
Varnier, G., Fedele, E., Marchi, M., Raiteri, M., Intracerebral administration of L-kynurenine decreases *N*-methyl-D-aspartate receptor-mediated production of cGMP in the cerebellum and hippocampus of unanaesthetized rats subjected to transcerebral microdialysis, 81
Vermes, I., see Bon, M.A.M., 149
Verri, A., see Strenge, H., 57
Vicente-Torres, M.A., Gil-Loyzaga, P., Noise stimulation decreases the concentration of norepinephrine in the rat cochlea, 217

Walgenbach-Telford, S., see Stadelmann, A.M., 97
Walker, D.W., see Nitsos, I., 33
Wang, D.-S., see Ding, Y.-Q., 133
Wang, J., see Li, W., 205
Watanabe, Y., see Sato, K.Z., 17
Williams, M., see Britton, D.R., 93
Winkler, I., see Takegata, R., 109

Xu, J.-Q., see Ding, Y.-Q., 133

Yamada, S., see Sato, K.Z., 17
Yamamoto, S.-i., see Yamanaka, K., 101
Yamanaka, K., Yamamoto, S.-i., Nakazawa, K., Yano, H., Suzuki, Y., Fukunaga, T., The effects of long-term bed rest on H-reflex and motor evoked potential in the human soleus muscle during standing, 101
Yanagisawa, K., see Isobe, I., 129
Yang, C.-S., see Kuo, J.-S., 137
Yano, H., see Yamanaka, K., 101
Yoshida, I., see Monji, A., 85
Yost, M.G., see Burch, J.B., 209

Zheng, H.-X., see Ding, Y.-Q., 133
Zheng, T., see Li, W., 205